



ELSEVIER

Discrete Applied Mathematics 79 (1997) 285–286

**DISCRETE
APPLIED
MATHEMATICS**

Author Index

Volume 79 (1997)

- Andreae, T., M. Hintz, M. Nölle, G. Schreiber, G.W. Schuster and H. Seng,
Cartesian products of graphs as subgraphs of de Bruijn graphs of dimension
at least three (1–3) 3– 34
- Bauer, D., J. van den Heuvel, A. Morgana and E. Schmeichel, The complexity
of recognizing tough cubic graphs (1–3) 35– 44
- Bodlaender, H.L. and D.M. Thilikos, Treewidth for graphs with small chordality (1–3) 45– 61
- Brandt, S., A sufficient condition for all short cycles (1–3) 63– 66
- Chang, G.J., see M.-J. Jou (1–3) 67– 73
- Dahlhaus, E., J. Kratochvíl, P.D. Manuel and M. Miller, Transversal partitioning
in balanced hypergraphs (1–3) 75– 89
- Dankelmann, P., H.C. Swart and O.R. Oellermann, On the average Steiner distance
of graphs with prescribed properties (1–3) 91–103
- Driessen, T.S.H., Tree enterprises and bankruptcy ventures, A game theoretic similarity
due to a graph theoretic proof (1–3) 105–117
- Guo, Y. and L. Volkmann, Bypaths in tournaments (1–3) 127–135
- Guo, Y., Spanning local tournaments in locally semicomplete digraphs (1–3) 119–125
- Hintz, M., see T. Andreae (1–3) 3– 34
- Jou, M.-J. and G.J. Chang, Maximal independent sets in graphs with at most one cycle (1–3) 67– 73
- Kratochvíl, J., see E. Dahlhaus (1–3) 75– 89
- Manuel, P.D., see E. Dahlhaus (1–3) 75– 89
- Mehrotra, A., Cardinality constrained Boolean quadric polytope (1–3) 137–154
- Miller, M., see E. Dahlhaus (1–3) 75– 89
- Morgana, A., see D. Bauer (1–3) 35– 44
- Niessen, T., Optimal channel allocation for several types of cellular radio networks (1–3) 155–170
- Nölle, M., see T. Andreae (1–3) 3– 34
- Oellermann, O.R., see P. Dankelmann (1–3) 91–103
- Parra, A. and P. Scheffler, Characterizations and algorithmic applications of chordal
graph embeddings (1–3) 171–188
- Scheffler, P., see A. Parra (1–3) 171–188
- Schelten, U. and I. Schiermeyer, Small cycles in Hamiltonian graphs (1–3) 201–211
- Schelten, A. and I. Schiermeyer, Ramsey numbers $r(K_3, G)$ for connected graphs G of
order seven (1–3) 189–200
- Schiermeyer, I., see A. Schelten (1–3) 189–200
- Schiermeyer, I., see U. Schelten (1–3) 201–211
- Schmeichel, E., see D. Bauer (1–3) 35– 44
- Schrader, R. and G. Wambach, The setup polyhedron of series-parallel posets (1–3) 213–221
- Schreiber, G., see T. Andreae (1–3) 3– 34
- Schuster, G.W., see T. Andreae (1–3) 3– 34
- Seng, H., see T. Andreae (1–3) 3– 34
- Srivastav, A. and P. Stangier, Tight approximations for resource constrained scheduling
and bin packing (1–3) 223–245
- Stangier, P., see A. Srivastav (1–3) 223–245

Swart, H.C., see P. Dankelmann	(1–3) 91–103
Thilikos, D.M., see H.L. Bodlaender	(1–3) 45– 61
Tuza, Zs. and M. Voigt, List colorings and reducibility	(1–3) 247–256
Van den Heuvel, J., see D. Bauer	(1–3) 35– 44
Voigt, M., see Zs. Tuza	(1–3) 247–256
Volkman, L., see Y. Guo	(1–3) 127–135
Walther, H., Polyhedral graphs without hamiltonian cycles	(1–3) 257–263
Wambach, G., see R. Schrader	(1–3) 213–221
Wittmann, P., Vertex-distinguishing edge-colorings of 2-regular graphs	(1–3) 265–277
Wojda, A.P. and M. Zwonek, Coloring edges of self-complementary graphs	(1–3) 279–284
Zwonek, M., see A.P. Wojda	(1–3) 279–284